

Docket No.: K-0578



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Confirmation No.: 7181

Hye Yong PARK, Dong Ha CHOI, Sung Rak KONG and
Dong In KIM

Group Art Unit: 1722

Serial No: 10/722,391

Examiner: Robert B. Davis

Filed: November 28, 2003

Customer No.: 34610

For: INJECTION MOLD FOR DISPLAY PANEL OF WASHING MACHINE

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

- No additional fee is required.
 Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	19	20	0	x \$50.00 =	0
Independent Claims	2	3	0	x \$200.00=	0
If multiple claims newly presented, add \$360.00					0
Fee for extension of time					0
TOTAL FEE DUE					0

- Please charge my Deposit Account No. 16-0607 in the amount of \$_____. An additional copy of this transmittal sheet is submitted herewith.
- A check in the amount of \$ _____ (Check #_____) is attached.
- The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP

John C. Eisenhart
Registration No. 38,128

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 JCE/krf

Date: March 7, 2006

Please direct all correspondence to Customer Number 34610

Docket No.: K-0578

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.: 7181

Hye Yong PARK et al.

Group Art Unit: 1722

Serial No.: 10/722,391

Examiner: Robert B. Davis

Filed: November 28, 2003

Customer No.: 34610

For: **INJECTION MOLD FOR DISPLAY PANEL OF WASHING MACHINE**

AMENDMENT

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Sir:

In reply to the Office Action of December 13, 2005, please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims.

Amendments to the Specification are reflected in this paper.

Remarks/Arguments begin after the listing of the claims.